## WOMEN'S INTERAGENCY HIV STUDY **F29: BLOOD SPECIMEN COLLECTION FORM**

ID LAI HERE								
VERS	VERSION DATE REVISED 10 / 01 / 10							
ANY I	MISSING OR INCOMPLETE TEST RESULTS MUST BE EXPLAINED ON THIS FORM.							
IF BLOOD DRAW OCCURRED AT TWO DIFFERENT TIMES AND/OR DATES FOR THIS VISIT, COMPLETE THE INFORMATION REQUESTED IN SECTIONS A AND B, THEN INDICATE TOTAL NUMBER OF TUBES COLLECTED DURING BOTH BLOOD DRAWS IN SECTION C. IF ONLY ONE BLOOD DRAW OCCURRED, COMPLETE SECTION A AND PROCEED DIRECTLY TO SECTION C.								
	A. FIRST BLOOD DRAW							
A1.	DATE BLOOD DRAWN:  / / /							
A2.	TIME BLOOD DRAWN:   _ :							
A3.	PHLEBOTOMIST'S INITIALS							
A4.	When was the last date and time you had anything to eat or drink other than water, including gum, tea or coffee.							
	a. DATE: / / b. TIME:   : _ :   AM							
A5.	<b>INTERVIEWER</b> : WAS PARTICIPANT FASTING FOR BLOOD DRAW, I.E., DID SHE HAVE <b>NOTHING</b> TO EAT OR DRINK OTHER THAN WATER FOR AT LEAST EIGHT HOURS PRIOR TO BLOOD DRAW?							
	FASTING							
A6.	WERE CPT TUBES CENTRIFUGED IN CLINIC; (i.e., PRIOR TO SENDING TO LAB FOR PROCESSING)?							
	YES							
A7.	TIME CPT TUBES CENTRIFUGED:               AM 1 PM 2							
A8.	WAS GOLD OR TIGER-TOP SST TUBE FOR METABOLIC PANEL (TC, HDL-C, TRIG, LDL-C, insulin) CENTRIFUGED IN CLINIC WITHIN 1 HOUR OF COLLECTION; (i.e., PRIOR TO SENDING TO LAB FOR PROCESSING)?							
	YES							
A9.	TIME TUBES CENTRIFUGED:   :  :   AM1 PM2							

A10.	WAS BLOOD DRAWN ON A SECOND DATE FOR THIS VISIT?
1110.	YES
	B. SECOND BLOOD DRAW (if necessary)
PRO	MPT: IF SECOND BLOOD DRAW IS PERFORMED, COMPLETE A SECOND F29a FORM PRIOR TO BLOOD DRAW.
B1.	DATE OF SECOND BLOOD DRAW: / / / Y
B2.	TIME OF SECOND BLOOD DRAW:   _ :   AM 1 PM 2
В3.	PHLEBOTOMIST'S INITIALS
B4.	When was the last date and time you had anything to eat or drink other than water, including gum, tea or coffee.
	a. DATE:/ b. TIME:  : AM
B5.	INTERVIEWER: WAS PARTICIPANT FASTING FOR BLOOD DRAW, I.E., DID SHE HAVE NOTHING TO EAT OR DRINK OTHER THAN WATER FOR AT LEAST EIGHT HOURS PRIOR TO BLOOD DRAW?
	FASTING
B6.	WERE CPT TUBES CENTRIFUGED IN CLINIC; (i.e., PRIOR TO SENDING TO LAB FOR PROCESSING)?
	YES
B7.	TIME CPT TUBES CENTRIFUGED:       :     AM
B8.	WAS GOLD OR TIGER-TOP SST TUBE FOR METABOLIC PANEL (TC, HDL-C, TRIG, LDL-C, insulin) CENTRIFUGED IN CLINIC WITHIN 1 HOUR OF COLLECTION; (i.e., PRIOR TO SENDING TO LAB FOR PROCESSING)?
	YES
B9.	TIME TUBES CENTRIFUGED:   :   AM 1 PM 2

WIHS ID#

WIHS	ID#		

## C. BLOOD DRAW (LISTED IN ORDER OF CORRECT BLOOD DRAW)

## PROMPT: FOR TUBES SHADED IN GRAY, COLLECT BLOOD ONLY IF THE PARTICIPANT IS FASTING. TEST TYPE TUBE TYPE WHOLE a.) SPECIMEN b.)REQUIRED c.)

	TEST TYPE	TUBE TYPE (Tube Vol)	WHOLE BLOOD VOLUME	a.) SPECIMEN <u>COLLECTED</u>		b.)REQUIRED VOLUME COLLECTED		c.) ESTIMATED VOLUME <u>COLLECTED</u>	
				<u>YES</u>	<u>NO</u>	N/A	<u>YES</u>	<u>NO</u>	
C1.	HIV Ab *	Red-Top (3 ml) IF NO SPECIFY REASON	1-2 ml	1 i	2	3*	1 (C2)	2	mls.
C2.	Liver/Renal Function	Red-Top or SST (5 ml) IF NO SPECIFY REASON	2-5 ml	1 i	2		1 (C3)	2	mls.
C3.	Serum Repository	Red-Top or SST (10 ml) IF NO SPECIFY REASON	8.5 ml	1 i	2		1 (C4)	2	mls.
C4.	TC, HDL-C, TRIG, LDL-C, insulin *	Tiger-top SST (10 ml) IF NO SPECIFY REASON	8.5 ml	1 i	2	3 ♣	1 (C5)	2	mls.
C5.	Plasma & Cells Repository	CPT Tube (10 ml) IF NO SPECIFY REASON	8 ml	1 i	2		1 (C6)	2	mls.
C6.	Plasma & Cell Repository	CPT Tube (10 ml) IF NO SPECIFY REASON	8 ml	1 i	2		1 (C7)	2	mls.
C7.	Plasma & Cell Repository	CPT Tube (10 ml) IF NO SPECIFY REASON	8 ml	1 i	2		1 (C8)	2	mls.
C8.	Plasma & Cell Repository	CPT Tube (10 ml) IF NO SPECIFY REASON	8 ml	1 i	2		1 (C9)	2	mls.
C9.	Plasma & Cell Repository	CPT Tube (10 ml) IF NO SPECIFY REASON	8 ml	1 i	2		1 (C10)	2	mls.

-		
_	WIHS ID#	

	TEST TYPE	TUBE TYPE (Tube Vol)	WHOLE BLOOD VOLUME	a.) SPECIMEN <u>COLLECTED</u>		b.)REQUIRED VOLUME COLLECTED		c.) ESTIMATED VOLUME <u>COLLECTED</u>	
				<u>YES</u>	<u>NO</u>	N/A	<u>YES</u>	<u>NO</u>	
C10.	CBC/Diff ☼	Lavender-Top (3 ml) IF NO SPECIFY	2.5 ml		2	3☆	1 (C11)	2	mls.
		REASON		i					
C11.	T-Cell Subsets ☼	Lavender-Top (3 ml)	2.5 ml	1	2	3☆	1 (C12)	2	_  mls.
		IF NO SPECIFY REASON		i					
C12.	EDTA Plasma †	Lavender-Top (6 ml) IF NO SPECIFY	5-6 ml	1	2	3†	1 (C13)	2	mls.
		REASON		i					
C13.	HgA1c ♣	Lavender-Top (3 ml) IF NO SPECIFY	2.5 ml	1	2	3 <b>.</b>	1 (C14)	2	_  mls.
		REASON		i					
C14.	Glucose ‡	Gray-Top (3 ml) IF NO SPECIFY REASON	2.5 ml	1 i	2	3‡	1 (END)	2	_  mls.

Not required after visit one on HIV positive women.

Collect once per year only, at odd-numbered visits. Specimen should be collected regardless of whether or not participant is fasting.

<sup>₩</sup> For HIV-seronegative participants, collect annually at even-numbered visits only.

<sup>†</sup> ‡ Collect from HIV-seropositive participants only. Includes plasma to be used for viral quantification by RNA PCR.

Collect once per year only, at odd-numbered visits. Specimen should be collected only if participant is fasting.