
Georgetown University

RESPONSE CARDS
FORM PEPKAB: Prevention Methods

PEP/PrEP/TasP

Women's Interagency HIV Study (WIHS)




- 1. All of the time
- 2. Some of the time
- 3. Rarely
- 4. Never

- 1. Strongly agree
- 2. Somewhat agree
- 3. Somewhat disagree
- 4. Strongly disagree

- 1.0 to 3 months ago
- 2.4 to 6 months ago
- 3.7 months to 1 year ago
- 4. More than 1 year ago

- 1. No risk
- 2. Low risk
- 3. Medium risk
- 4. High risk



- 1. Never
- 2. Rarely
- 3. About half the time
- 4. Most of the time
- 5. Always

- a. From a friend or acquaintance
- b. From parents or other family members
- c. At school
- d. From a healthcare provider
- e. In a newspaper or magazine
- f. On the radio or TV
- g. On the internet
- h. From another survey
- i. Somewhere else (specify)

- a. Obtained prescription from emergency department
- b. Obtained prescription from healthcare provider or medical clinic
- c. Got it from family, friends, or a sex partner
- d. Ordered it from the internet without a prescription
- e. Got it on the street
- f. Other (specify)

- 1. Strongly agree
- 2. Agree
- 3. Neither agree nor disagree
- 4. Disagree
- 5. Strongly disagree

- a. I would have more control in protecting myself from HIV
- b. My partner is HIV-positive
- c. I would use it with my casual partners
- d. My friends and/or family think I should take it
- e. I know someone who takes PrEP
- f. I cannot always trust my sexual partners
- g. My healthcare provider told me about it or offered it to me

- 1.\$0
- 2. \$1 to \$25
- 3. \$26 to \$50
- 4. \$51 to \$100
- 5. Over \$100

- 1. Abstinence
- 2. Being in a monogamous relationship (both partners have no other partners)
- 3. Using condoms only
- 4. HIV-negative people using condoms in combination with PrEP
- 5. HIV-positive people taking medicines to decrease their chances of transmitting HIV to others
- 6. There is no effective way currently available

- 1. Abstinence
- 2. Being in a monogamous relationship (both partners have no other partners)
- 3. Using condoms only
- 4. HIV negative people using condoms in combination with PrEP
- 5. HIV positive people taking medicines to decrease their chances of transmitting HIV to others
- 6. HIV prevention gels that can be applied right before having sex

- 1. Very likely
- 2. Somewhat likely
- 3. Not at all likely
- 4. I am already taking HIV medicines