## WOMENS INTERAGENCY HIV STUDY INTENSIVE PK STUDY FORM PK05C: WEIGHT/SPECIMEN COLLECTION FORM FOR GROUP C PARTICIPANTS

## **SECTION A: GENERAL INFORMATION**

A1.	PARTICIPANT ID: ENTER NUMBER HERE ONLY IF ID LABEL IS NOT AVAILABLE				
A2.	LAST WIHS CORE VISIT #:				
A3.	VERSION DATE:	04/01/04			
A4.	DATE OF COLLECTION:	${M}$ $^{\prime}$ ${D}$ $^{\prime}$ ${Y}$			
A5.	COLLECTOR'S INITIALS:				
A6.	NAME OF TARGET MEDICATIONS (CIRCLE YES OR NO FOR EACH):				
	YES	<u>NO</u>			
	a. NEVIRAPINE (VIRAMUNE)1	2			
	b. NELFINAVIR (VIRACEPT) 1	2			
	c. LOPINAVIR/RITONAVIR (KALETRA) 1	2			
	d. SUSTIVA (EFAVIRENZ) 1	2			
	e. REYATAZ (ATAZANAVIR) 1	2			
	SECTION B: WEIGH	IT			
B1.	WEIGHT OF PARTICIPANT IN POUNDS (LBS): (ROUND TO NEAREST 1.0 POUND)	WEIGHT (LBS)			
	SECTION C: URINE PREC	GNANCY TEST			
C1.	URINE PREGNANCY TEST PREGNANT 1 NOT PREGNANT 2 NOT DONE 3				
	SPECIFY REASON:				
	SECTION D: TIMES OF BLOOD COLLECTI	ONS FOR PK SAMPLING			
D1.	TIME PARTICIPANT TOOK NON-SUSTIVA, NON-REYATAZ TARGET MEDICATION(S) THE MORNI OR EVENING BEFORE THE PK VISIT (AS CONFIR BY TELEPHONE INTERVIEW):	:    AM 1 ING PM 2 EMED			

WIHS ID#			

COLLECT FIRST PK SAMPLE ('0' TIMEPOINT) AND RECORD THE TIME OF SAMPLING IN D2. INSTRUCT PARTICIPANT TO TAKE THE TARGET ANTIRETROVIRAL MEDICATION(S) LISTED IN A6 AND ANY OTHER MEDICATION THAT SHE USUALLY TAKES AT THE SAME TIME. (NOTE: IF PARTICIPANT IS ON BOTH SUSTIVA AND REYATAZ, SHE MUST TAKE THEM SIMULTANEOUSLY IN ORDER TO USE ONE GROUP C VISIT FOR BOTH DRUGS. IF SHE DOESN'T TAKE THE TWO MEDICATIONS AT THE SAME TIME, SHE MUST BE SCHEDULED FOR TWO DIFFERENT GROUP C VISITS TO EVALUATE EACH MEDICATION INDEPENDENTLY). PARTICIPANT SHOULD BE INSTRUCTED TO TAKE HER ANTIRETROVIRAL MEDICATIONS WITH FOOD IF THAT IS HER USUAL ROUTINE AT HOME. RECORD THE TIME OF HAART DOSING IN D3 AND RECORD WHETHER THE PARTICIPANT TOOK HER MEDICATIONS WITH OR WITHOUT FOOD IN D4. SET ELECTRONIC TIMER.

D2.	TIME OF BLOOD DRAW FOR FIRST PK SAMPLE ('0' TIMEPOINT):	:	AM1 PM2
D3.	TIME PARTICIPANT TOOK TARGET MEDICATION(S):	:	AM1 PM2
D4.	DID PARTICIPANT TAKE HER TARGET	Γ MEDICATION(S) WITH (	OR WITHOUT FOOD?
	WITH FOODWITHOUT FOOD		

	SAMPLE NUMBER	PK TIMEPOINT	TIME OF BLOOD DRAW
D5.	2	30 minutes (1/2 hr)	
D6.	3	60 minutes (1 hr)	
D7.	4	120 minutes (2 hr)	
D8.	5	150 minutes (2.5 hr)	
D9.	6	180 minutes (3 hr)	
D10.	7	240 minutes (4 hr)	
D11.	8	300 minutes (5 hr)	
D12.	9	360 minutes (6 hr)	
D13.	10	480 minutes (8 hr)	:    AM1 PM2
D14.	11	720 minutes (12 hr)	:    AM1 PM2

WIHS ID#			

	SAMPLE NUMBER	PK TIMEPOINT	TIME OF BLOOD DRAW
D15.	12	900 minutes (15 hr)	
D16.	13	1080 minutes (18 hr)	
D17.	14	1260 minutes (21 hr)	
D18.	15	1440 minutes (24 hr)	

PROMPT: URINE PREGNANCY TESTS SHOULD BE PERFORMED IN THE LOCAL LAB. PK SAMPLES WILL BE PROCESSED, BATCHED AND THEN SHIPPED WITHIN ONE MONTH TO DR. LESLIE BENET'S LAB.