

**WOMEN'S INTERAGENCY HIV STUDY  
TUBERCULOSIS – VERIFIED CASE REPORT**

PARTICIPANT ID: |\_\_|\_|\_|-|\_\_|\_|\_|-|\_\_|\_|\_|\_|\_|-|\_\_|\_|

FORM VERSION: **0 1 / 1 2 / 9 9**

DATE COMPLETED: |\_\_|\_|\_| / |\_\_|\_|\_| / |\_\_|\_|\_|  
M D Y

FORM COMPLETED BY: |\_\_|\_|\_|\_|

1. State reporting:  
\_\_\_\_\_

2. City / County:  
\_\_\_\_\_

3. Month/Year reported: |\_\_|\_|\_| / |\_\_|\_|\_|  
M Y

4. Participant status at diagnosis of TB:  
Alive ..... 1  
Dead ..... 2

5. Previous diagnosis of TB:  
Yes ..... 1  
No ..... 2 (#6)

a. Year of previous diagnosis:  
|\_\_|\_|\_|\_|

b. More than one previous diagnosis:  
Yes ..... 1  
No ..... 2

6. Major site of disease (CIRCLE ONE):  
Pulmonary .....1  
Pleural .....2  
Lymphatic cervical .....3  
Lymphatic intrathoracic .....4  
Lymphatic: other .....5  
Lymphatic: unknown .....6  
Bone and/or joint .....7  
Genitourinary .....8  
Miliary .....9  
Meningeal .....10  
Peritoneal .....11  
Other .....12

SPECIFY: \_\_\_\_\_

Site not stated: .....13

7. Additional site of disease (CIRCLE ONE):  
None .....1 (#8)  
Pulmonary .....2  
Pleural .....3  
Lymphatic cervical .....4  
Lymphatic intrathoracic .....5  
Lymphatic: other .....6  
Lymphatic: unknown .....7  
Bone and/or joint .....8  
Genitourinary .....9  
Miliary .....10  
Meningeal .....11  
Peritoneal .....12  
Other .....13

SPECIFY: \_\_\_\_\_

- a. More than one additional site:  
 YES..... 1  
 NO ..... 2

8. Sputum smear:  
 Positive..... 1  
 Negative ..... 2  
 Not done ..... 3  
 Unknown.....-8

9. Sputum culture:  
 Positive..... 1  
 Negative ..... 2  
 Not done ..... 3  
 Unknown.....-8

10. Microscopic exam of tissue and other body fluids:  
 Positive..... 1  
 Negative ..... 2  
 Not done ..... 3  
 Unknown.....-8

11. Culture of tissue and other body fluids:  
 Positive..... 1  
 Negative ..... 2  
 Not done ..... 3  
 Unknown.....-8

12. Chest X-ray:  
 Normal ..... 1 (#13)  
 Abnormal ..... 2  
 Not done ..... 3 (#13)  
 Unknown.....-8 (#13)

- a. If abnormal, circle one:  
 Cavitory ..... 1  
 Noncavitory,  
 consistent with TB ..... 2  
 Noncavitory,  
 not consistent with TB ..... 3

- b. If abnormal, circle one:  
 Stable.....1  
 Worsening .....2  
 Improving .....3  
 Unknown .....-8

13. Initial drug regimen:

	<u>YES</u>	<u>NO</u>	<u>UNK</u>
Isoniazid.....	1	2	-8
Rifampin .....	1	2	-8
Pyrazinamide.....	1	2	-8
Ethambutol.....	1	2	-8
Streptomycin.....	1	2	-8
Ethionamide .....	1	2	-8
Kanamycin .....	1	2	-8
Cycloserine .....	1	2	-8
Capraomycin .....	1	2	-8
Para-amino salicylic acid .....	1	2	-8
Amikacin.....	1	2	-8
Rifabutine.....	1	2	-8
Ciprofloxacin .....	1	2	-8
Ofloxacin .....	1	2	-8
Other .....	1	2	-8

14. Initial drug susceptibility:

	<u>Resistant</u>	<u>Sensitive</u>	<u>Not done</u>
Isoniazid.....	1	2	3
Rifampin .....	1	2	3
Pyrazinamide.....	1	2	3
Ethambutol.....	1	2	3
Streptomycin.....	1	2	3
Ethionamide .....	1	2	3
Kanamycin .....	1	2	3
Cycloserine .....	1	2	3
Capraomycin .....	1	2	3
Para-amino salicylic acid .....	1	2	3
Amikacin.....	1	2	3
Rifabutine.....	1	2	3
Ciprofloxacin .....	1	2	3
Ofloxacin .....	1	2	3
Other .....	1	2	3