

If site identifies an eligible subject whose family has verbally agreed to be in the study, but written consent/assent has not been obtained, complete **ONLY KID#, participant's initials, screening date, coordinator's initials and participant's sex**. Then, email form to respective CCC. Once written consent/assent is obtained, complete the entire form, email form to CCC and keep copy of completed form.

KID#: 4 - \_\_\_\_ - \_\_\_\_  
Participant Initials: \_\_\_\_  
Screening Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_

CKiD Chronic Kidney Disease in Children Cohort Study  
**ELIGIBILITY FORM (EL)**

Coordinator Initials \_\_\_\_

Form Version: 03 / 01 / 2025

1. Screening Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_ [mm/dd/yyyy]  
2. Date of Birth: \_\_\_\_ / \_\_\_\_ / \_\_\_\_ [mm/dd/yyyy]  
3. Sex assigned at birth:  1) Male  2) Female

**INCLUSION CRITERIA for KRT SUBJECTS**

4. Most recent Kidney Replacement Therapy status:  1) Transplant  2) Dialysis (skip to 4b)  NA (skip to 5)  
a. Date of Most Recent Kidney Transplant: \_\_\_\_ / \_\_\_\_ / \_\_\_\_ [mm/dd/yyyy] (skip to 8a)  
*Indicate the date of the most recent kidney transplant.*  
b. Date Chronic\* Dialysis started: \_\_\_\_ / \_\_\_\_ / \_\_\_\_ [mm/dd/yyyy] (skip to 8a)  
*\*For hemodialysis, indicate the date when the participant started treatments 2 or more days/week for at least 3 months.  
For peritoneal dialysis (PD), indicate the date when the participant started treatments 5 or more days a week for at least 3 months.*

**INCLUSION CRITERIA for  
CKD SUBJECTS who are NOT currently on dialysis or have a kidney transplant (KRT naïve)**

5. Most Recent eGFR calculation (Within last 6 months)  
Most Recent Height  
a. Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_ [mm/dd/yyyy] (Date must be within the last 6 months OR closest to most recent Serum Creatinine measurement date)  
b. Height Measurement: \_\_\_\_ [in/cm]  1=in  2=cm  
Most Recent Serum Creatinine  
c. Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_ [mm/dd/yyyy] (Date must be within the last 6 months)  
d. Serum Creatinine Measurement: \_\_\_\_ . \_\_\_\_ [mg/dl]  
e. eGFR (creatinine-based on U25calculator): \_\_\_\_ . \_\_\_\_ ml/min|1.73m<sup>2</sup> See page 4 for instructions
6. Second eGFR calculation (Within the last 18 months)  
Second Height  
a. Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_ [mm/dd/yyyy] (Date must be within the last 18 months OR closest to second Serum Creatinine measurement date)  
b. Height Measurement: \_\_\_\_ [in/cm]  1=in  2=cm  
Second Serum Creatinine  
c. Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_ [mm/dd/yyyy] (Date must be within the last 18 months)  
d. Serum Creatinine Measurement: \_\_\_\_ . \_\_\_\_ [mg/dl]  
e. eGFR (creatinine-based on U25calculator): \_\_\_\_ . \_\_\_\_ ml/min|1.73m<sup>2</sup> See page 4 for instructions
7. Do the eGFR measurements from 5e and 6e (for KRT naïve subjects) fall below 60 ml/min|1.73m<sup>2</sup>?  1) Yes  2) No

**INCLUSION CRITERIA for ALL Subjects**

- 8a. Age (in years) as of screening date\* is \_\_\_\_ . 8b. Is this between ≥16 and <23?  1) Yes  2) No  
*\*Refer to the date in Question 1.*  
9. Is the subject regularly seen by a pediatric nephrologist?  1) Yes  2) No

If site identifies an eligible subject whose family has verbally agreed to be in the study, but written consent/assent has not been obtained, complete **ONLY KID#, participant's initials, screening date, coordinator's initials and participant's sex**. Then, email form to respective CCC. Once written consent/assent is obtained, complete the entire form, email form to CCC and keep copy of completed form.

KID#: 4 - \_\_\_\_ - \_\_\_\_  
 Participant Initials: \_\_\_\_  
 Screening Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

**EXCLUSION CRITERIA**

- 10. Does the parent or subject have plans to move out of the area within the next 3 months? (i.e., to an area that makes this clinic no longer a convenient site for study participation)  1) Yes  2) No
- 11. Has the subject ever received a solid organ (other than kidney), bone marrow, or stem cell transplant?  1) Yes  2) No
- 12. In the last 12 months, did the subject have a cancer diagnosis, treatment, or completion of treatment?  1) Yes  2) No
- 13. In the last 12 months, did the subject have a HIV diagnosis or treatment?  1) Yes  2) No
- 14. Does the subject have an existing moderate to severe congenital structural heart disease?  1) Yes  2) No
- 15. Does the subject have any genetic syndromes involving the central nervous system (e.g., Down syndrome)?  1) Yes  2) No
- 16. Does the subject have a history of severe or profound intellectual disability (i.e., IQ <40, significant impairment in adaptive function and/or ability to independently execute self-care skills)?  1) Yes  2) No
- 17. For female individuals, are they pregnant or have they been pregnant within the past year? (For male individuals, "NA" should be checked.)  1) Yes  2) No  NA
- 18. Is the subject currently enrolled in a randomized clinical trial in which the specific treatment the subject is receiving is unknown? (If yes, contact your Clinical Coordinating Center.)  1) Yes  2) No
- 19. Has the subject ever had an allergic reaction to Iodine or Iohexol? (If yes, contact your Clinical Coordinating Center for further clarification and instruction.)  1) Yes  2) No
- 20. Is the subject fluent in English or Spanish?  1) Yes  2) No
- 21. Which language does the subject speak most frequently?  1) English  2) Spanish  3) Both
- 22. Which language does the parent speak most frequently?  1) English  2) Spanish  3) Both

**INFORMED CONSENT**

- 23a. Has the consent form been signed?  1) Yes  2) No
- 23b. Date signed consent form: [mm/dd/yyyy] \_\_\_\_ / \_\_\_\_ / \_\_\_\_
- 24a. Was documented assent required for this subject? (If No or Not Applicable, skip to Question 25.)  1) Yes  2) No  NA
- 24b. Date of subject assent: [mm/dd/yyyy] \_\_\_\_ / \_\_\_\_ / \_\_\_\_
- 25. Has consent to collect and store sample for NIDDK genetic testing been obtained?  1) Yes  2) No
- 26. Has consent to collect and store NIDDK biological specimen(s) been obtained?  1) Yes  2) No
- 27. Has consent for data linking been obtained?  1) Yes  2) No

- If all Yes/No responses are in non-shaded areas, then subject is eligible for CKiD.
- If individual declines to participate (i.e., written or verbal Consent is NOT obtained), then complete the REFUSAL FORM.
- If only verbal consent is obtained, then partially complete EL form and email partially completed EL form to CCC.
  - create CKiD study identification number "KID" and write KID below
  - document participant's initials
  - document screening date
  - document coordinator's initials
  - document participant's sex
- If written consent is obtained, create KID and email the completed EL to the CCC to be entered into data management system.
  - Write the KID number in the space below and complete question 28.

KID = 4 - \_\_\_\_ - \_\_\_\_  
 Cohort Number      Clinical Site Number      Consecutive Number

If site identifies an eligible subject whose family has verbally agreed to be in the study, but written consent/assent has not been obtained, complete **ONLY KID#, participant's initials, screening date, coordinator's initials and participant's sex**. Then, email form to respective CCC. Once written consent/assent is obtained, complete the entire form, email form to CCC and keep copy of completed form.

KID#: 4 - \_\_\_\_ - \_\_\_\_  
 Participant Initials: \_\_\_\_  
 Screening Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

28. **Primary diagnosis of Chronic Kidney Disease (please check one):**

**Glomerular CKD diagnosis**

- 15) Chronic glomerulonephritis
- 20) Congenital nephrotic syndrome
- 23) Denys-Drash syndrome
- 24) Diabetic nephropathy
- 12) Familial nephritis (Alport's)
- 10) Focal segmental glomerulosclerosis
- 11) Hemolytic uremic syndrome
- 19) Henoch Schonlein nephritis
- 17) Idiopathic crescentic glomerulonephritis
- 13) IgA Nephropathy (Berger's)
- 16) Membranoproliferative glomerulonephritis Type I
- 21) Membranoproliferative glomerulonephritis Type II
- 18) Membranous nephropathy
- 22) Sickle cell nephropathy
- 14) Systemic immunological disease (including SLE)
- 40) Glomerular Other: \_\_\_\_\_

**Non-Glomerular CKD diagnosis**

- 51) Aplastic/hypoplastic/dysplastic kidneys
- 65) Branchio-oto-Renal Disease/Syndrome
- 62) Congenital Urologic Disease (Bilateral Hydronephrosis)
- 54) Cystinosis
- 57) Medullary cystic disease/juvenile nephronophthisis
- 66) Methylmalonic Acidemia
- 50) Obstructive uropathy
- 61) Oxalosis
- 64) Perinatal Asphyxia
- 60) Polycystic kidney disease (Autosomal dominant)
- 53) Polycystic kidney disease (Autosomal recessive)
- 55) Pyelonephritis/Interstitial nephritis
- 52) Reflux nephropathy
- 56) Renal infarct
- 58) Syndrome of agenesis of abdominal musculature
- 63) Vactrel or Vater Syndrome
- 59) Wilms' tumor
- 80) Non-Glomerular Other: \_\_\_\_\_

**Eligible eGFR measurement based on U25eGFR Calculator**

For eligibility, individuals must be  $\geq 16$  to  $< 23$  years old with an eGFR  $< 60$  ml/min/1.73m<sup>2</sup>. Use the U25eGFR calculator to calculate estimated GFR measurements based on the individual's SCr and height measurements.

**Do not enter cystatin C results.**

The calculator derived from Pierce CB, Munoz A, Ng DK, et al.. Kidney Int 2021 Apr;99(4):948-956. PMID: 33301749

To access **U25eGFR calculator**, go to <https://kidney.wiki/gfr-calculator/>  
 Enter age, sex, height (in cm), and serum creatinine (in mg/dL).

The screenshot shows a web-based calculator titled "CKiD Under 25 (U25) Estimated GFR Calculator". It features a dark header with the "kidneywiki" logo and a "CKiD U25 Estimated GFR Calculator" button. The form fields are as follows:

- Age:** Two input boxes for "Years" and "Months".
- Sex:** Radio buttons for "Female" (selected) and "Male".
- Height:** An input box labeled "required for creatinine calculation" with a unit of "cm".
- Creatinine:** An input box with a unit of "mg/dL".
- Cystatin C:** An input box with a unit of "mg/L".
- Estimated GFR:** A section titled "based on CKiD U25 equations (2021)" with three rows of output boxes labeled "(Creatinine)", "(Cystatin C)", and "(Average)".

If site identifies an eligible subject whose family has verbally agreed to be in the study, but written consent/assent has not been obtained, complete **ONLY KID#, participant's initials, screening date, coordinator's initials and participant's sex. Then, email form to respective CCC. Once written consent/assent is obtained, complete the entire form, email form to CCC and keep copy of completed form.**

KID#: 4 - \_\_\_\_ - \_\_\_\_  
Participant Initials: \_\_\_\_  
Screening Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_

U25eGFR calculator is also accessible from the CKiD website's Investigator Resources webpage. Go to <https://statepi.jhsph.edu/ckid/investigator-resources/> Click on "Learn More about Calculators" Then under CKiD Under 25 (U25) GFR estimating equations click on "Go to Calculator on kidney.wiki"

Below is an example of an 18 year old female who is 170 cm in height with creatinine measurement of 1.2.

The screenshot shows the 'CKiD Under 25 (U25) Estimated GFR Calculator' interface. At the top left is the 'kidney.wiki' logo. At the top right are buttons for 'CKiD U25 Estimated GFR Calculator' and 'Info'. Below the title bar is a 'reset' button. The form contains the following fields and values:

- Age:** Years: 18, Months: 1
- Sex:** Female (selected), Male
- Height:** 170 cm
- Creatinine:** 1.2 mg/dL
- Cystatin C:** A red warning message reads "DO NOT INCLUDE CYSTATIN C".
- Estimated GFR:** 58.7 mL/min/1.73m<sup>2</sup> based on CKiD U25 equations (2021). Below this are three rows for breakdown: (Creatinine), (Cystatin C), and (Average).