



WIHS ID #

6. Major site of disease (CIRCLE ONE):

- Pulmonary.....1
- Pleural.....2
- Lymphatic cervical.....3
- Lymphatic intrathoracic..4
- Lymphatic: other.....5
- Lymphatic: unknown.....6
- Bone and/or joint.....7
- Genitourinary.....8
- Miliary.....9
- Meningeal.....10
- Peritoneal.....11
- Other.....12

Specify: \_\_\_\_\_

Site not stated..... 13

ONE):

- None .....1 (#8)
- Pulmonary .....2
- Pleural.....3
- Lymphatic cervical.....4
- Lymphatic intrathoracic...5
- Lymphatic: other.....6
- Lymphatic: unknown.....7
- Bone and/or joint .....8
- Genitourinary.....9
- Miliary.....10
- Meningeal .....11
- Peritoneal .....12
- Other.....13

Specify: \_\_\_\_\_

7. Additional site of disease (CIRCLE

a. More than one additional site:

- Yes.....1
- No.....2

8. Sputum smear:

- Positive.....1
- Negative.....2
- Not done.....3
- Unknown.....-8

9. Sputum culture:

- Positive.....1
- Negative.....2
- Not done .....3
- Unknown.....-8

10.

..... Microsc

WIHS ID #

*opic exam of tissue and other body fluids:*

*Positive .....1*  
*Negative .....2*  
*Not done .....3*  
*Unknown ..... -8*

*consistent with TB 2*  
*Noncavitary,*  
*not consistent with TB 3*

*11.....Culture*

*of tissue and other body fluids:*

*Positive .....1*  
*Negative .....2*  
*Not done .....3*  
*Unknown ..... -8*

*12.....Chest*

*X-ray:*

*Normal .....1*  
**(#13)**  
*Abnormal .....2*  
*Not done .....3*  
**(#13)**  
*Unknown ..... -8*

**(#13)**

*a. If abnormal, check one:*

*Cavitary .....1*  
*Noncavitary,*

WIHS ID #

b. If abnormal, check one:

- Stable.....1
- Worsening.....2
- Improving.....3
- Unknown.....-8

- Ofloxacin.....1 2 -8
- Other.....1 2 -8

13. ....Initial

drug regimen:

	<u>YES</u>	<u>NO</u>	<u>UNKNOWN</u>
Isoniazid.....	1	2	-8
Rifampin.....	1	2	-8
Pyrazinamide.....	1	2	-8
Ethambutol.....	1	2	-8
Streptomycin.....	1	2	-8
Ethionamide.....	1	2	-8
Kanamycin.....	1	2	-8
Cycloserine.....	1	2	-8
Capraomycin.....	1	2	-8
Para-amino salicylic acid..	1	2	-8
Amikacin.....	1	2	-8
Rifabutine.....	1	2	-8
Ciprofloxacin.....	1	2	-8

14. Initial drug susceptibility:

	<u>Resistant</u>	<u>Sensitive</u>	<u>Not</u>
	<u>done</u>		
Isoniazid.....	1	2	3
Rifampin.....	1	2	3
Pyrazinamide.....	1	2	3
Ethambutol.....	1	2	3
Streptomycin.....	1	2	3
Ethionamide.....	1	2	3
Kanamycin.....	1	2	3
Cycloserine.....	1	2	3
Capraomycin.....	1	2	3
Para-amino salicylic acid			
Amikacin.....	1	2	3
Rifabutine.....	1	2	3
Ciprofloxacin.....	1	2	3
Ofloxacin.....	1	2	3
Other.....	1	2	3