

**WOMEN'S INTERAGENCY HIV STUDY
CARDIOVASCULAR SUBSTUDY
CAROTID ULTRASOUND TRACKING FORM (CV01)**

ID LABEL
HERE --->

□□-□□□-□□□□□□-□□

WIHS VISIT #:

FORM COMPLETED BY:

VERSION DATE **04/01/04**

CAROTID ULTRASOUND TECHNOLOGIST ID #:

□□□□□□

A1. DATE OF CAROTID ULTRASOUND VISIT:

___ / ___ / ___
M D Y

A2. TIME VISIT STARTED:

□□:□□ AM.....1
PM.....2

A3. CAROTID ULTRASOUND TYPE

- BASELINE 1 **(A4)**
 FOLLOW-UP 2
 BASELINE QUALITY CONTROL..... 3
 FOLLOW-UP QUALITY CONTROL..... 4

NOTE: THE USC READING CENTER WILL PROVIDE IMAGE ID FOR QUALITY CONTROL AND FOLLOW-UP SCANS ONLY.

a. IMAGE ID#: _____

A4. a. VIDEOTAPE #:

b. DATE VIDEOTAPE SENT TO USC:

___ / ___ / ___
M D Y

A5. ULTRASOUND EQUIPMENT USED (CIRCLE APPROPRIATE CODE):

- Bronx:** US – Philips US ATL5000 (SN 4000-0318-06); probe – Sedon (SN D8500-0030-01)..... 1
Brooklyn: US – Philips, model SONOS 5500 (SN 9708A04148); probe – Agilent 11-3L,
 model 21356A (SN US99301470) 2
Washington DC: US – Philips, model M2424A (SN US97806979); probe – HP, model 21258B
 7.5/5 MHz (SN 3328A00214)..... 3
Los Angeles: US – ATL Apogee 800 Plus (SN 00KYQW); probe: Linear 5 MHz (SN 7-4L40) 4
San Francisco: US – Sequoia 512 (SN 55258); probe – 6L3 (SN 41112) 5
Chicago: US – Philips/Agilent/HP Sonos 5500 (SN US 97804479); probe: Hewlett Packard 11-3L,
 model 21356A (SN US 99300303) 6

OTHER 7

SPECIFY: _____

A6. WAS PROCEDURE COMPLETED (CIRCLE YES OR NO FOR EACH)?

	<u>YES</u>	<u>NO</u>	<u>i. REASON NOT COMPLETED</u>
a. ECG TRACE DISPLAY ON SCREEN..... 1 (b)	2		_____
b. RIGHT CCA IMT SCAN..... 1 (c)	2		_____
c. RIGHT CAROTID BIF IMT SCAN..... 1 (d)	2		_____
d. RIGHT ICA IMT SCAN..... 1 (e)	2		_____
e. RIGHT ECA IMT SCAN..... 1 (A7)	2		_____

A7. IMAGING LESIONS PRESENT?

YES 1
 NO 2 (A8)

- a. LOCATION: _____
 b. COMMENTS: _____

A8. WAS THERE A CLINICAL ALERT?

YES 1
 NO 2 (A9)

PROMPT: IF RESPONSE TO QUESTION A8 IS "YES," ULTRASOUND TECHNICIAN SHOULD SEND TAPE TO READING CENTER AT USC IMMEDIATELY AND COMPLETE COMMENTS FIELD BELOW WITH DESCRIPTION OF CONDITION REQUIRING ALERT.

- a. COMMENTS: _____

A9. SUPINE BLOOD PRESSURE READINGS (POST-SCAN).

NOTE: ALWAYS WAIT FOR 60 SECONDS BEFORE TAKING THE NEXT MEASUREMENT.

	a. SYSTOLIC	/	b. DIASTOLIC	/	c. HR
1.	_ _ _		_ _ _		_ _ _
2.	_ _ _		_ _ _		_ _ _
3.	_ _ _		_ _ _		_ _ _
4.	_ _ _		_ _ _		_ _ _
5.	_ _ _		_ _ _		_ _ _

A10. WERE THERE ANY PROBLEMS ASSOCIATED WITH OBTAINING THE CAROTID ULTRASOUND?

YES 1
 NO 2 (SECTION B)

- a. COMMENTS: _____

B. QUESTIONS FOR PARTICIPANT

B1. Are you currently taking any prescription medicine(s) to treat heart disease, high blood pressure or hypertension?

YES 1
 NO 2 **(B2)**

a. When did you last take any of these medications?

___ / ___ / ___
 M D Y

 [] [] : [] []

 AM 1
 PM 2

B2. TIME VISIT ENDED:

[] [] : [] []

 AM 1
 PM 2

C. CONTACT INFORMATION

NOTE: CONTACT INFORMATION WILL BE COLLECTED BUT NOT ENTERED INTO APOLLO.

C1. CLINIC CONTACT INFORMATION:

- a. SITE NAME: _____
- b. ADDRESS: _____

- c. NAME OF CONTACT PERSON: _____
- d. PHONE: _____
- e. FAX: _____

C2. ULTRASOUND LAB CONTACT INFORMATION:

- a. ULTRASOUND LAB NAME: _____
- b. ADDRESS: _____

- c. NAME OF CONTACT PERSON: _____
- d. PHONE: _____
- e. FAX: _____

C3. ULTRASONOGRAPHER SIGNATURE: _____

C4. ULTRASONOGRAPHER PRINTED NAME: _____