



WIHS ID#

**START F22MEDS3**

b. What antiretroviral medications have you taken?

**PROMPT: REVIEW QXQS FOR INSTRUCTIONS ON HOW TO COLLECT ARV DATA.**

**PROMPT: HAND PARTICIPANT ANTIRETROVIRAL PHOTO MEDICATION CARDS.**

**CHECK THE DRUG(S) THE PARTICIPANT HAS TAKEN FOR HIV SINCE HER LAST STUDY VISIT. FOR DRUGS NOT ON THE LIST, RECORD THE NAME UNDER “OTHER” AS STATED BY THE PARTICIPANT AND FILL IN THE CORRESPONDING THREE-DIGIT DRUG CODE FROM DRUG LIST 1.**

**Combination Medications**

- 262 \_\_\_ Atripla (Sustiva + Viread + Emtriva)
- 227 \_\_\_ Combivir (AZT + 3TC)
- 254 \_\_\_ Epzicom (Ziagen + Epivir)
- 240 \_\_\_ Trizivir (abacavir + AZT + 3TC)
- 253 \_\_\_ \***Truvada** (Viread + Emtriva)
- 280 \_\_\_ Complera (FTC + RPV + TDF)
- 287 \_\_\_ Stribild (FTC + Viread + EVG + cobicistat)
- 293 \_\_\_ Triumeq (DTG + ABC + 3TC)
- 295 \_\_\_ Prezcoibix (darunavir + cobicistat)
- 296 \_\_\_ Evotaz (atazanavir + cobicistat)

**Entry Inhibitors**

- 233 \_\_\_ Fuzeon (T-20, enfuvirtide)
- 265 \_\_\_ Selzentry (maraviroc)

**Nucleoside/Nucleotide RTIs**

- 239 \_\_\_ \***Emtriva** (emtricitabine, FTC)
- 204 \_\_\_ \***Epivir** (lamivudine, 3-TC)
- 092 \_\_\_ Retrovir (AZT, zidovudine, ZDV)
- 147 \_\_\_ Videx / Videx EC (didanosine, ddl)
- 234 \_\_\_ \***Viread** (tenofovir)
- 159 \_\_\_ Zerit (stavudine, d4T)
- 218 \_\_\_ Ziagen (abacavir)

**Integrase Inhibitors**

- 264 \_\_\_ Isentress (raltegravir, MK 0518)
- 286 \_\_\_ Tivicay (dolutegravir)
- 284 \_\_\_ Vitekta (elvitegravir)

**Non-Nucleoside RTIs**

- 255 \_\_\_ Intelence (etravirine, TMC 125)
- 194 \_\_\_ Rescriptor (delavirdine)
- 220 \_\_\_ Sustiva (efavirenz)
- 191 \_\_\_ Viramune (nevirapine)
- 276 \_\_\_ Edurant (rilpivirine, TMC 278)

**Protease Inhibitors**

- 238 \_\_\_ Aptivus (tipranavir)
- 212 \_\_\_ Crixivan (indinavir)
- 210 \_\_\_ Invirase (saquinavir)
- 217 \_\_\_ Kaletra (lopinavir + ritonavir)
- 249 \_\_\_ Lexiva (fosamprenavir)
- 211 \_\_\_ Norvir (ritonavir)
- 256 \_\_\_ Prezista (TMC-114, darunavir)
- 243 \_\_\_ Reyataz (atazanavir)
- 216 \_\_\_ Viracept (nelfinavir)

**Other**

- 207 \_\_\_ Droxia or Hydrea (hydroxyurea)
- \_\_\_ Other anti-viral(s) (from Drug List 1)

Specify name of “other” antiviral:

→ Drug Code: |\_\_|\_\_|\_\_|

Specify name of “other” antiviral:

→ Drug Code: |\_\_|\_\_|\_\_|

**PROMPT: COMPLETE SUBFORM F22MEDS3**

**END F22MEDS3**

**PROMPT: IF PARTICIPANT BROUGHT MEDICATION BOTTLES OR LIST TO REPORT ARV USE, PLEASE ASK THE FOLLOWING QUESTION (B2c) AND MAKE SURE ALL MEDICATIONS ARE CHECKED IN QUESTION B2b. IF INTERVIEWER HAS ALREADY REVIEWED PHOTO MED CARDS WITH PARTICIPANT, CIRCLE “3” FOR N/A AND PROCEED TO QUESTION B2d.**

WIHS ID#

[Empty box for WIHS ID#]

c. Besides the [bottles/list] that you brought in today, have you tried any other antiretroviral medications, even for a short period of time, since your (MONTH) study visit?

- YES .....1
- NO .....2
- Not applicable (N/A).....3

**PROMPT: IF B2c=YES, REVIEW PHOTO MEDICATION CARDS WITH PARTICIPANT TO DETERMINE WHICH ADDITIONAL MEDICATIONS SHE HAS USED. REPORT ANY ADDITIONAL MEDICATIONS ABOVE IN QUESTION B2b AND IN SUBFORM F22MEDS3.**

d. ENTER THE TOTAL NUMBER OF ANTIRETROVIRAL MEDICATIONS THE PARTICIPANT REPORTED TAKING IN QUESTION B2b: [ ][ ]

B3. FROM VCS AND F22MEDS3, HAS PARTICIPANT STARTED ANY ANTIRETROVIRAL MEDICATIONS SINCE HER LAST STUDY VISIT?

- YES .....1
- NO .....2 (B6)

a. Is this the first time you have taken any antiretroviral medications(s)?

- YES .....1
- NO .....2

B6. Since your (MONTH) study visit, has there been a period of time of one week or more when you were off treatment (PROBE: not taking any of your antiretroviral medications)?

- YES .....1
- NO .....2

B7. a. In the last 30 days, on how many days did you miss at least one dose of any of your HIV medicines? [ ][ ] DAYS

b. HAND PARTICIPANT RESPONSE CARD D0a.

In the last 30 days, how good a job did you do at taking your HIV medicines in the way you were supposed to?

- Very poor .....1
- Poor .....2
- Fair .....3
- Good.....4
- Very good.....5
- Excellent .....6

c. **HAND PARTICIPANT RESPONSE CARD DØb.**

**In the last 30 days**, how often did you take your HIV medicines in the way you were supposed to?

- Never.....1
- Rarely.....2
- Sometimes.....3
- Usually.....4
- Almost always.....5
- Always.....6

d. **HAND PARTICIPANT RESPONSE CARD DØ.**

In general, **over the past six months**, how often did you take your antiretrovirals as prescribed?

- 100% of the time.....1
- 95-99% of the time.....2
- 75-94% of the time.....3
- <75% of the time.....4
- I haven't taken any of my prescribed medications.....5

B8. IS PARTICIPANT HIV-POSITIVE OR HIV-NEGATIVE?

- HIV-POSITIVE.....1 (SECTION C)
- HIV-NEGATIVE.....2

B11. Since your (MONTH) study visit, have you taken medications to prevent getting HIV infection – this is sometimes called pre- or post-exposure prophylaxis, PEP or PrEP?

- YES.....1
- NO.....2 (SECTION C)
- POSSIBLY, FROM A STUDY.....3

B12. From where did you get the medication?

- Your primary care provider or clinic.....1
- A clinic such as an STD or public health clinic.....2
- A non-clinical person, such as a friend or person on the street.....3
- As part of a study.....4
- Other.....5

SPECIFY: \_\_\_\_\_

B13. Are you still taking it?

- YES.....1
- NO.....2

a. In what year did you first take this medication? |\_|\_|\_|\_|

WIHS ID#

B14. Are you taking or did you begin to take this medicine **after** having a possible unprotected sexual or drug injection exposure?

- YES .....1 (B16)
- NO .....2

B15. Are you taking or did you begin to take this medicine for your general protection (and not prompted by a risky exposure)?

- YES .....1
- NO .....2

B16. For how long did you or will you take this medication?

- < 1 week .....1
- 1 – 3 weeks .....2
- 3 – 6 weeks .....3
- > 6 weeks .....4

**PROMPT: GO TO SECTION C**

B17. **PROMPT: HAND PARTICIPANT RESPONSE CARD D3.**

What is your **main** reason for not taking any antiretroviral medications or treatments? **CIRCLE ONE ANSWER ONLY.**

- I am HIV negative .....1
- My CD4+ was too high / viral load too low .....2
- I feel too healthy .....3
- I am taking alternative treatments .....4
- I don't want side effects .....5
- They are too hard to swallow .....6
- My doctor did not prescribe them .....7
- I can't afford them / have no insurance coverage .....8
- I am concerned about resistance .....9
- I'm having a baby .....10
- Personal decision to wait .....11
- They didn't work for my friends .....12
- Liver problems .....14
- Any other reason .....13

SPECIFY: \_\_\_\_\_

**SECTION C. OI AND OTHER CO-INFECTION MEDICATION HISTORY**

**START F22MEDS4**

**C1. PROMPT: HAND PARTICIPANT RESPONSE CARD D4.**

- a. Since your (MONTH) study visit, have you taken the following inhaled medication?  
 114 \_\_\_ Pentamidine (aerosolized)
- b. Since your (MONTH) study visit, have you taken any of the following injected or infused drugs?  
 091 \_\_\_ Foscarnet (Foscavir)  
 125 \_\_\_ Ganciclovir (DHPG, Cytovene IV)  
 232 \_\_\_ Nandrolone (Deca-durabolin)  
 157 \_\_\_ Medication to increase white blood cell count (G-CSF, GM-CSF, Neupogen)  
 117 \_\_\_ Medication to increase red blood cell count (Erythropoietin, Epogen, Procrit, EPO)  
 124 \_\_\_ Amphotericin B (Ampho B)  
 242 \_\_\_ **\*Pegylated interferon** (PEGASYS, PEG-Intron, Peginterferon alfa-2a, Peginterferon alfa-2b)
- c. Since your (MONTH) study visit, have you used any of the following pills, liquids or creams?  

112 ___ Bactrim (Septra, cotrimoxazole, trimethoprim-sulfamethoxazole, TMP/SMZ) 184 ___ Biaxin (clarithromycin) 113 ___ Dapsone 116 ___ Diflucan (fluconazole) 213 ___ Famvir (famciclovir) 125 ___ Ganciclovir (Cytovene, valganciclovir, Valcyte) 138 ___ INH (isoniazid) 190 ___ Mepron (atovaquone) 540 ___ Methadone 705 ___ Methyl-prednisolone (Medrol) 229 ___ Monistat (miconazole) 137 ___ Myambutol (ethambutol) 145 ___ Mycelex or Lotrimin (clotrimazole)	127 ___ Nizoral (ketoconazole) 144 ___ Nystatin (Mycostatin) 228 ___ Oxandrin (oxandrolone) 707 ___ Prednisolone (Prelone) 704 ___ Prednisone (Deltasone) 182 ___ PZA (pyrazinamide) 235 ___ <b>*Rebetron</b> (Ribavirin & Interferon alfa-2b) 093 ___ Rifabutin (mycobutin) 139 ___ Rifadin (rifampin) 169 ___ Sporanox (itraconazole) 230 ___ Terazol (terconazole) 198 ___ Valtrex (valacyclovir) 247 ___ Vfend (voriconazole) 152 ___ Zithromax (azithromycin) 146 ___ Zovirax (acyclovir)
--	--
- i. PARTICIPANT HAS **NOT TAKEN ANY** MEDS IN C1a, C1b OR C1c .....1 (SECT. D)  
 PARTICIPANT HAS TAKEN **AT LEAST ONE** MED IN C1a, C1b OR C1c ....2

**END F22MEDS4**

**\* PROMPT: IF PARTICIPANT REPORTS USING ONE OF THE TWO OI PROPHYLAXIS MEDICATIONS MARKED WITH AN ASTERISK (\*) (I.E., PEGYLATED INTERFERON OR REBETRON, ASK “Do you take [MEDICATION] to treat hepatitis (B or C) only, to treat or prevent another condition, or to both treat hepatitis and treat/prevent another condition?” IF ONLY FOR OI PROPHYLAXIS, COMPLETE DRUG2 ONLY. IF ONLY FOR HEPATITIS B OR C, COMPLETE DRUG3 ONLY. IF FOR BOTH OI PROPHYLAXIS AND HEPATITIS, COMPLETE BOTH DRUG2 AND DRUG3.**

WIHS ID#

[Empty box for WIHS ID#]

**PLEASE COMPLETE DRUG FORM 2 FOR EACH MEDICATION MARKED ABOVE IN QUESTION C1a – C1c. IF NO MEDICATIONS ARE MARKED, GO TO SECTION D.**

- d. ENTER THE TOTAL NUMBER OF NON-ANTIRETROVIRAL MEDICATIONS THE PARTICIPANT REPORTED TAKING IN QUESTIONS C1a, C1b and C1c: |\_|\_|

**SECTION D. HEPATITIS MEDICATION HISTORY**

**START F22MEDS9**

**D1. PROMPT: HAND PARTICIPANT RESPONSE CARD D4a.**

- a. Since your (MONTH) study visit, have you taken any of the following medications for Hepatitis B or C?

- 242 \_\_\_ Pegylated interferon (PEGASYS or Peginterferon alfa-2a)  
(PEG-Intron or Peginterferon alfa-2b)
- 058 \_\_\_ Ribavirin (Virazole, Rebetrol, Copegus)
- 235 \_\_\_ Rebetron (Ribavirin and interferon alfa-2b)
- 204 \_\_\_ Epivir (lamivudine, 3-TC)
- 234 \_\_\_ Viread (tenofovir, bis-POC-PMPA)
- 224 \_\_\_ Hespera (adefovir, Preveon, bis-POM PMPA, GS 840)
- 239 \_\_\_ Emtriva (emtricitabine, Coviracil, FTC)
- 253 \_\_\_ Truvada (Viread + Emtriva)
- 709 \_\_\_ Baraclude (entecavir, BMS-200475)
- 710 \_\_\_ Tyzeka (telbivudine)
- 713 \_\_\_ Victrelis (boceprevir)
- 714 \_\_\_ Incivek (telaprevir)
- 715 \_\_\_ Olysio (simeprevir)
- 716 \_\_\_ Sovaldi (sofosbuvir)
- 717 \_\_\_ Harvoni (ledipasvir + sofosbuvir)
- 718 \_\_\_ Viekira Pak (ombitasvir/paritaprevir/ritonavir tablets + dasabuvir tablets)
- 719 \_\_\_ Daklinza (daclatasvir)
- 722 \_\_\_ Technivie (ombitasvir/paritaprevir/ritonavir)

Specify name of "other" antiviral:	→ Drug Code:  _ _ _
Specify name of "other" antiviral:	→ Drug Code:  _ _ _

- b. PARTICIPANT HAS **NOT TAKEN ANY** MEDS IN D1a.....1 (SECT. E)  
PARTICIPANT HAS TAKEN **AT LEAST ONE** MED IN D1a.....2

**END F22MEDS9**

**PLEASE COMPLETE DRUG FORM 3 FOR EACH MEDICATION MARKED ABOVE IN QUESTION D1a.**

- c. ENTER THE TOTAL NUMBER OF HEPATITIS MEDICATIONS THE PARTICIPANT REPORTED TAKING IN QUESTION D1a: |\_|\_|

**SECTION E. OTHER PRESCRIPTION MEDICATION USE**

E1f. Since your (MONTH) study visit, have you received vaccination for HPV or human papillomavirus?

YES .....1  
 NO.....2

E11. **PROMPT: HAND PARTICIPANT RESPONSE CARD D4h.**

Since your (MONTH) study visit, have you taken any of the following hormone replacement therapies (hormones, estrogen, progesterone) for more than one month? These therapies could have been taken in the form of a pill, cream, or patch worn on the skin. Please do not include any hormones taken only to prevent pregnancy; we will discuss those later in the interview.

**ESTROGEN:** Premarin, Estrace, Estratab, Menest, Ogen, Cenestin, Estraderm, Climara, Menostar, Estrasorb, Alora, Enjuvia, Evamist, Femring, Vivelle-Dot

**PROGESTERONE:** Provera, Cycin, Amen, Prometrium, Micronor, Nor-QD

**COMBINATION ESTROGEN/PROGESTERONE:** Premphase, Prempro, Combipatch, Angeliq, Activella, Prefest

**OTHER HRT:** Tamoxifen, Raloxifene, testosterone patch or cream, Estratest (combination estrogen/testosterone), birth control pills, Norplant, Ortho Evra (birth control patch), NuvaRing (a vaginal ring containing hormone)

YES .....1  
 NO.....2 **(E12a)**

a. INTERVIEWER: BASED ON PARTICIPANT RESPONSE IN E11, CODE BELOW THE TYPE OF HRT PARTICIPANT REPORTED ABOVE:

ESTROGEN.....1  
 PROGESTERONE .....2  
 COMBINATION .....3  
 OTHER HRT .....4

SPECIFY: \_\_\_\_\_

E12a. Since your (MONTH) study visit, have you taken any medication for blood pressure or your heart, (such as Amiodarone, Quinidine, Verapamil, hydrochlorothiazide, etc.)? **SHOW PARTICIPANT RESPONSE CARD D4b. IF “YES,” RECORD MEDICATION IN QUESTION E13a.**

YES .....1  
 NO.....2

E12b. (Since your (MONTH) study visit), have you taken any medication to lower your cholesterol, triglyceride, or blood lipid level, (such as Lipitor, Pravachol, Zocor, etc.)? **SHOW PARTICIPANT RESONSE CARD D4c. IF “YES,” RECORD MEDICATION IN QUESTION E13a.**

YES .....1  
 NO.....2

WIHS ID#

E12c. (Since your (MONTH) study visit), have you taken any medication to lower your blood sugar, such as insulin injections or any oral medications? **SHOW PARTICIPANT RESPONSE CARD D4d. IF “YES,” RECORD MEDICATION IN QUESTION E13a.**

YES.....1  
NO.....2

E12d. (Since your (MONTH) study visit), have you taken any medication to prevent or treat osteoporosis or fracture, such as bisphosphonates [alendronate (Fosamax), risedronate (Actonel, Atelvia), zoledronic acid (Reclast), ibandronate (Boniva)], estrogen, raloxifene (Evista), teriparatide (Forteo), denosumab (Prolia), or calcitonin (Fortical, Miacalcin)? **SHOW PARTICIPANT RESPONSE CARD D4e. IF “YES,” RECORD MEDICATION IN QUESTION E13a.**

YES.....1  
NO.....2

E12e. (Since your (MONTH) study visit), have you taken any medication for seizures, (such as Tegretol, Dilantin, Phenobarbital, Depakote, etc.)? **SHOW PARTICIPANT RESPONSE CARD D4f. IF “YES,” RECORD MEDICATION IN QUESTION E13a.**

YES.....1  
NO.....2

E12f. (Since your (MONTH) study visit), have you taken any medication for psychological conditions or depression, (such as Zyprexa, Zoloft, Celexa, etc.)? **SHOW PARTICIPANT RESPONSE CARD D4g. IF “YES,” RECORD MEDICATION IN QUESTION E13a.**

YES.....1  
NO.....2

E12g. (Since your (MONTH) study visit), have you taken any medication for HIV lipodystrophy or body fat changes related to HIV, such as growth hormones or steroids? **SHOW PARTICIPANT RESPONSE CARD D4i. IF “YES,” RECORD MEDICATION IN QUESTION E13a.**

YES.....1  
NO.....2

E12h. (Since your (MONTH) study visit), have you taken any medication for breathing or lung problems, (such as Singulair, monteleukast, Accolate, zafirlukast, Zyflo, zileutin, Theodur, theophylline, Slo-phyllin, Slo-bid, Aerolate, or albuterol)? **SHOW PARTICIPANT RESPONSE CARD D4k. IF “YES,” RECORD MEDICATION IN QUESTION E13a.**

YES.....1  
NO.....2

E12i. Since your (MONTH) study visit, have you taken any other **prescribed** medications **not** previously mentioned? **IF “YES,” RECORD MEDICATION IN QUESTION E13a.**

YES.....1  
NO.....2

WIHS ID#

E13. ENTER THE TOTAL NUMBER OF OTHER PRESCRIPTION MEDICATIONS RECORDED IN THE F22MEDS6 SECTION:

**PROMPT: ALL COMPLEMENTARY/ALTERNATIVE THERAPIES (E.G., CALCIUM AND VITAMIN D) SHOULD BE REPORTED IN SECTION F, REGARDLESS OF WHETHER THEY ARE PRESCRIBED.**

**PROMPT: IF E13 = 0, SKIP TO SECTION F. IF E13 ≥ 1, LIST MEDICATIONS IN COLUMN “a” AND COMPLETE COLUMNS “b” AND “c” FOR EACH MEDICATION.**

**PROMPT: PHOTOCOPY THIS PAGE AND INSERT IF PARTICIPANT REPORTS USING MORE THAN 10 OTHER PRESCRIPTION MEDICATIONS.**

**START F22MEDS6**

a. Specify Drug Name	b. Have you taken this in the past 5 days? <b>YES    NO</b>	c. INTERVIEWER, RECORD HERE HOW USE OF THIS MEDICATION WAS REPORTED.
Name of drug:	1      2	Self report..... 1 Participant brought written list to visit..... 2 Participant brought medication bottles to visit..... 3 Participant brought pharmacy record to visit ..... 4 Record obtained directly from pharmacy ..... 5 Other ..... 6 SPECIFY: _____
Name of drug:	1      2	Self report..... 1 Participant brought written list to visit..... 2 Participant brought medication bottles to visit..... 3 Participant brought pharmacy record to visit ..... 4 Record obtained directly from pharmacy ..... 5 Other ..... 6 SPECIFY: _____
Name of drug:	1      2	Self report..... 1 Participant brought written list to visit..... 2 Participant brought medication bottles to visit..... 3 Participant brought pharmacy record to visit ..... 4 Record obtained directly from pharmacy ..... 5 Other ..... 6 SPECIFY: _____
Name of drug:	1      2	Self report..... 1 Participant brought written list to visit..... 2 Participant brought medication bottles to visit..... 3 Participant brought pharmacy record to visit ..... 4 Record obtained directly from pharmacy ..... 5 Other ..... 6 SPECIFY: _____
Name of drug:	1      2	Self report..... 1 Participant brought written list to visit..... 2 Participant brought medication bottles to visit..... 3 Participant brought pharmacy record to visit ..... 4 Record obtained directly from pharmacy ..... 5 Other ..... 6 SPECIFY: _____

WIHS ID#

a. Specify Drug Name	b. Have you taken this in the past 5 days? <b>YES    NO</b>	c. INTERVIEWER, RECORD HERE HOW USE OF THIS MEDICATION WAS REPORTED.
Name of drug:	1        2	Self report..... 1 Participant brought written list to visit..... 2 Participant brought medication bottles to visit..... 3 Participant brought pharmacy record to visit ..... 4 Record obtained directly from pharmacy ..... 5 Other ..... 6 SPECIFY: _____
Name of drug:	1        2	Self report..... 1 Participant brought written list to visit..... 2 Participant brought medication bottles to visit..... 3 Participant brought pharmacy record to visit ..... 4 Record obtained directly from pharmacy ..... 5 Other ..... 6 SPECIFY: _____
Name of drug:	1        2	Self report..... 1 Participant brought written list to visit..... 2 Participant brought medication bottles to visit..... 3 Participant brought pharmacy record to visit ..... 4 Record obtained directly from pharmacy ..... 5 Other ..... 6 SPECIFY: _____
Name of drug:	1        2	Self report..... 1 Participant brought written list to visit..... 2 Participant brought medication bottles to visit..... 3 Participant brought pharmacy record to visit ..... 4 Record obtained directly from pharmacy ..... 5 Other ..... 6 SPECIFY: _____

**END F22MEDS6**

**SECTION F. ALTERNATIVE/COMPLEMENTARY MEDICATION USE**

F1. In addition to standard medication therapies, we are interested in collecting information on complementary and alternative therapies.

**PROMPT: HAND PARTICIPANT RESPONSE CARD D5.**

- a. Since your (MONTH) study visit, have you used any complementary or alternative medications that you take by mouth either as a pill or liquid, that you apply to your skin, or that you insert in your rectum or vagina. Please include any enzyme therapies, flower remedies, herbs, homeopathic remedies and nutritional supplements such as vitamins or minerals you may have taken. Do not include commercial herbal tea preparations (i.e., tea bags), but please include tea remedies made from fresh bulk herbs.

YES ..... 1  
 NO ..... 2 **(GO TO G3)**

WIHS ID#

b. Please name those complementary and alternative medications that you have taken.

**PROMPT: CIRCLE THE DRUG CODE FOR CAM NAMED. SPECIFY THOSE NOT LISTED UNDER "OTHER" AND FILL IN THE THREE-DIGIT DRUG CODE FROM DRUG LIST 3.**

**START F22MEDS5**

Treatments		i. Frequency of Use		ii. Currently Taking	
		Every or Almost Every Day	Only as Needed	YES	NO
602	Acidophilus	1	2	1	2
607	B-complex	1	2	1	2
608	B-vitamins (B1 thiamine, B2 riboflavin, B5 pantothenic acid, B6 pyridoxine, B12)	1	2	1	2
612	C-vitamins (rosehips)	1	2	1	2
646	Calcium	1	2	1	2
615	Chinese herbs in combination	1	2	1	2
196	Co-enzyme Q-10	1	2	1	2
657	D-vitamins	1	2	1	2
619	E-vitamins	1	2	1	2
620	Echinacea (with or without goldenseal)	1	2	1	2
623	Folic Acid	1	2	1	2
624	Garlic	1	2	1	2
652	Glucosamine/Chondroitin	1	2	1	2
641	Iron	1	2	1	2
630	Multi- or Prenatal vitamins / Minerals	1	2	1	2
633	Omega-3 Type or Fish Oils	1	2	1	2
640	Zinc	1	2	1	2
167	St. John's Wort (hypericum perforatum)	1	2	1	2
□□□	Specify:	1	2	1	2
□□□	Specify:	1	2	1	2
□□□	Specify:	1	2	1	2
□□□	Specify:	1	2	1	2

**END F22MEDS5**

c. ENTER THE TOTAL NUMBER OF ALTERNATIVE/COMPLEMENTARY MEDICATIONS THE PARTICIPANT REPORTED TAKING IN QUESTION F1b: □□□

G3. TIME MODULE ENDED: □□□ : □□□ AM..... 1  
 PM..... 2