

WOMEN'S INTERAGENCY HIV STUDY
TUBERCULOSIS – VERIFIED CASE REPORT

PARTICIPANT ID: - - -

FORM VERSION: $\frac{0}{M}$ $\frac{1}{1}$ / $\frac{1}{D}$ $\frac{2}{9}$ / $\frac{9}{Y}$

DATE COMPLETED: $\frac{\quad}{M}$ / $\frac{\quad}{D}$ / $\frac{\quad}{Y}$

FORM COMPLETED BY: _____

- 1. State reporting:

- 2. City/county:

- 3. Month-Year reported: $\frac{\quad}{M}$ / $\frac{\quad}{Y}$
- 4. Participant status at diagnosis of TB:
 Alive 1
 Dead 2
- 5. Previous diagnosis of TB:
 Yes 1
 No 2 (#6)
 - a. Year of previous diagnosis:
 - b. More than one previous diagnosis:
 Yes 1
 No 2

- 6. Major site of disease (CIRCLE ONE):
 Pulmonary 1
 Pleural 2
 Lymphatic cervical 3
 Lymphatic intrathoracic 4
 Lymphatic: other 5
 Lymphatic: unknown 6
 Bone and/or joint 7
 Genitourinary 8
 Miliary 9
 Meningeal 10
 Peritoneal 11
 Other 12

 Specify: _____
 Site not stated 13
- 7. Additional site of disease (CIRCLE ONE):
 None 1 (#8)
 Pulmonary 2
 Pleural 3
 Lymphatic cervical 4
 Lymphatic intrathoracic 5
 Lymphatic: other 6
 Lymphatic: unknown 7
 Bone and/or joint 8
 Genitourinary 9
 Miliary 10
 Meningeal 11
 Peritoneal 12
 Other 13

 Specify: _____

WIHS ID #

a. More than one additional site:

- Yes 1
- No 2

8. Sputum smear:

- Positive 1
- Negative 2
- Not done 3
- Unknown -8

9. Sputum culture:

- Positive 1
- Negative 2
- Not done 3
- Unknown -8

10. Microscopic exam of tissue and other body fluids:

- Positive 1
- Negative 2
- Not done 3
- Unknown -8

11. Culture of tissue and other body fluids:

- Positive 1
- Negative 2
- Not done 3
- Unknown -8

12. Chest X-ray:

- Normal 1 (#13)
- Abnormal 2
- Not done 3 (#13)
- Unknown -8 (#13)

a. If abnormal, check one:

- Cavitary 1
- Noncavitary,
consistent with TB 2
- Noncavitary,
not consistent with TB ... 3

b. If abnormal, check one:

- Stable 1
- Worsening 2
- Improving 3
- Unknown -8

13. Initial drug regimen:

	<u>YES</u>	<u>NO</u>	<u>UNKNOWN</u>
Isoniazid	1	2	-8
Rifampin	1	2	-8
Pyrazinamide	1	2	-8
Ethambutol	1	2	-8
Streptomycin	1	2	-8
Ethionamide	1	2	-8
Kanamycin	1	2	-8
Cycloserine	1	2	-8
Capraomycin	1	2	-8
Para-amino salicylic acid	1	2	-8
Amikacin	1	2	-8
Rifabutine	1	2	-8
Ciprofloxacin	1	2	-8
Ofloxacin	1	2	-8
Other	1	2	-8

14. Initial drug susceptibility:

	<u>Resistant</u>	<u>Sensitive</u>	<u>Not done</u>
Isoniazid	1	2	3
Rifampin	1	2	3
Pyrazinamide	1	2	3
Ethambutol	1	2	3
Streptomycin	1	2	3
Ethionamide	1	2	3
Kanamycin	1	2	3
Cycloserine	1	2	3
Capraomycin	1	2	3
Para-amino salicylic acid ...	1	2	3
Amikacin	1	2	3
Rifabutine	1	2	3
Ciprofloxacin	1	2	3
Ofloxacin	1	2	3
Other	1	2	3