

**WOMEN'S INTERAGENCY HIV STUDY
(WIHS)**

**ENGLISH VERSION
FOLLOW-UP RESPONSE CARDS**

RESPONSE CARD Ø

- 1. Legally married / common-law married**
- 2. Not married, but living with a partner**
- 3. Widowed**
- 4. Divorced / or marriage annulled**
- 5. Separated**
- 6. Never Married**
- 7. Other**

RESPONSE CARD 1

- 1. In your own house / apartment**
- 2. At your parent's house**
- 3. Someone else's house / apartment**
- 4. In a rooming, boarding or halfway house**
- 5. In a shelter / welfare hotel**
- 6. On the street (s) / beach**
- 7. Jail / other correctional facility**
- 8. Residential drug / alcohol treatment facility**
- 9. Other**

RESPONSE CARD 2

The adults in my household:

- 1. Depend on me to manage everything in the household. I am considered head of household.**
- 2. Depend on me to manage most everything, but do provide some support and help in the household.**
- 3. Provide an equal amount of support and help in the household as I do.**
- 4. Provide more support and help in the household than I do.**
- 5. Provide complete management of the household. I depend on them for most everything.**

RESPONSE CARD 3

- 1. Very difficult**
- 2. Somewhat difficult**
- 3. Neither difficult nor easy**
- 4. Fairly easy**
- 5. Very easy**

RESPONSE CARD 4

I feel that I am:

- 1. Not very good at being a parent**
- 2. A person who has some trouble being a parent**
- 3. An average parent**
- 4. A better than average parent**
- 5. A very good parent**
- 6. Not applicable / I am not a parent/foster-parent/step-parent**

RESPONSE CARD 5

- 1. Not at all**
- 2. A little bit**
- 3. Some / Moderately**
- 4. Quite a bit**
- 5. A lot / Extremely**
- 6. I do not have children old enough to help**

RESPONSE CARD 6


I feel that I am:

- 1. Not a very good employee**
- 2. A person who has some trouble being an employee**
- 3. An average employee**
- 4. A better than average employee**
- 5. A very good employee**

RESPONSE CARD 7

<u>YEAR</u>	<u>MONTH</u>	<u>WEEK</u>	
\$6,000 or less	\$500 or less	\$115 or less	1
\$6,001 to \$12,000	\$501 to \$1,000	\$116 to \$231	2
\$12,001 to \$18,000	\$1,001 to \$1,500	\$232 to \$346	3
\$18,001 to \$24,000	\$1,501 to \$2,000	\$347 to \$461	4
\$24,001 to \$30,000	\$2,001 to \$2,500	\$462 to \$577	5
\$30,001 to \$36,000	\$2,501 to \$3,000	\$578 to \$692	6
\$36,001 to \$75,000	\$3,001 to \$6,250	\$693 to \$1,442	7
More than \$75,000.....	More than \$6,250.....	More than \$1,442	8

BODY DIAGRAM CARD



RESPONSE CARD PQ01

- 1. Almost every day**
- 2. Several days per week**
- 3. A few days per month**
- 4. Only with lung or respiratory infections**
- 5. Not at all**

RESPONSE CARD PQ02

Anticholinergics	β_2 -Agonists (contd)	Corticosteroids (contd)
------------------	-----------------------------	-------------------------


Spiriva® HandiHaler®
(tiotropium bromide inhalation powder)
Boehringer Ingelheim Pharmaceuticals, Inc., Pfizer Inc.



Maxair™ Autohaler™
(pirbuterol acetate inhalation aerosol)
3M Pharmaceuticals



Flovent® 220 mcg (44 mcg, 110 mcg)
(fluticasone propionate, 220 mcg [44 mcg, 110 mcg]) Inhalation Aerosol
GlaxoSmithKline



Atrovent®
(ipratropium bromide) Inhalation Aerosol
Boehringer Ingelheim Pharmaceuticals, Inc.



Proventil® HFA
(albuterol sulfate) Inhalation Aerosol
Schering Corporation



Pulmicort Turbuhaler®
(budesonide inhalation powder)
AstraZeneca LP



**Anticholinergic/
 β_2 -Agonist Combination**

Serevent® Diskus®
(salmeterol xinafoate inhalation powder)
GlaxoSmithKline



**β_2 -Agonist/
Corticosteroid Combination**

Combivent®
(ipratropium bromide and albuterol sulfate) Inhalation Aerosol
Boehringer Ingelheim Pharmaceuticals, Inc.



Ventolin® HFA
(albuterol sulfate HFA inhalation aerosol)
GlaxoSmithKline



Advair Diskus® 250/50 (100/50, 500/50)
(fluticasone propionate 250 mcg and salmeterol 50 mcg inhalation powder [100/50, 500/50])
GlaxoSmithKline



β_2 -Agonists

Corticosteroids

Other

Alupent®
(metaproterenol sulfate, USP) Inhalation Aerosol
Boehringer Ingelheim Pharmaceuticals, Inc.



Aerobid®
(flunisolide) Inhaler System
Forest Pharmaceuticals, Inc.



Intal® Inhaler
(cromolyn sodium inhalation aerosol)
Mowarch Pharmaceuticals



Albuterol, USP
Inhalation Aerosol
Warrick Pharmaceuticals



Azmacort®
(triamcinolone acetonide) Inhalation Aerosol
Aventis Pharmaceuticals



Tilade® Inhaler
(nedocromil sodium inhalation aerosol)
Mowarch Pharmaceuticals



Foradil® Aerolizer®
(formoterol fumarate inhalation powder)
Novartis Pharmaceuticals Corporation



Please see full Prescribing Information.



RESPONSE CARD PQ03

CAT scan – Common Diagnoses

Pneumonia

Lung mass

Pulmonary embolism or blood clot in the lungs

Emphysema

Fibrosis or IPF

Sarcoidosis

Normal

RESPONSE CARD PQ04

Bronchoscopy – Common Diagnoses

Pneumonia

Tuberculosis or TB

Pneumocystis pneumonia or PCP

Bacterial pneumonia

Lung cancer

Fibrosis or IPF

Sarcoidosis

Normal

RESPONSE CARD PQ05

Surgery on Lungs – Common Diagnoses

Lung cancer

Fibrosis or IPF

Sarcoidosis

Normal

RESPONSE CARD PQ06

Lung Function Test – Common Diagnoses

Emphysema

COPD or chronic obstructive pulmonary disease

Asthma

Reactive airways disease

Restrictive lung disease

Normal

RESPONSE CARD PQ07

Testing of Sputum Sample – Common Diagnoses

Pneumonia

Tuberculosis or TB

Pneumocystis pneumonia or PCP

Bacterial pneumonia

Normal

RESPONSE CARD PQ08

Sleep Study – Common Diagnoses

OSA or obstructive sleep apnea

Normal

RESPONSE CARD PQ09

Echocardiogram – Common Diagnoses

Congestive heart failure or CHF

Problem with a heart valve

Pulmonary hypertension or high blood pressure in the lungs

Normal

RESPONSE CARD 8

- 1. Live birth**
- 2. Stillbirth**
- 3. Abortion (induced / elective / therapeutic)**
- 4. Miscarriage (spontaneous abortion)**
- 5. Ectopic pregnancy**
- 6. Other**

MEN01 RESPONSE CARD M1: SECTION B

- 1. I had my period within the last month**
- 2. My last period was more than 1 month ago, but I had a period within the last 3 months**
- 3. My last period was more than 3 months ago, but I had a period within the last 6 months**
- 4. My last period was more than 6 months ago, but I had a period within the last 9 months**
- 5. My last period was more than 9 months ago, but I had a period within the last year**
- 6. My last period was more than 1 year ago**

MEN01 RESPONSE CARD M2: SECTION C

- 1. Not at all**
 - 2. 1 - 5 days**
 - 3. 6 - 8 days**
 - 4. 9 - 13 days**
 - 5. Every day**
-

- 1. Not at all**
- 2. Very little**
- 3. Moderately**
- 4. A lot**

MEN01 RESPONSE CARD M3: SECTION D

- 1. Not at all**
 - 2. 1 - 5 days**
 - 3. 6 - 8 days**
 - 4. 9 - 13 days**
 - 5. Every day**
-


- 1. No, not in the past 2 weeks**
- 2. Yes, less than once a week**
- 3. Yes, 1 or 2 times a week**
- 4. Yes, 3 or 4 times a week**
- 5. Yes, 5 or more times a week**

RESPONSE CARD 9

FREQUENCY OF DRINKING

- 1. At least every day**
- 2. Nearly every day**
- 3. 3 – 4 days a week**
- 4. 1 – 2 days a week**
- 5. 1 – 2 times a month**
- 6. About once a month**
- 7. 6 – 11 times a year**
- 8. 1 – 5 times a year**

RESPONSE CARD 9C



RESPONSE CARD 9A

FREQUENCY OF DRINKING

- 1. A few times a year, less than once a month**
- 2. Once a month**
- 3. 2 times a month**
- 4. 3 time a month**
- 5. Once a week**
- 6. 2 times a week**
- 7. 3 times a week**
- 8. 4 times a week**
- 9. 5 times a week**
- 10. 6 times a week**
- 11. Every day**
- 0. Never**

RESPONSE CARD 9B

SIZE OF DRINK

GLASSES

1. Shot glass (2-3 oz)
2. Small glass (4-6 oz)
3. Medium glass (half pint 7-8 oz)
4. Large glass (9-15 oz)
5. Pint size glass (16+ oz)
6. Small wine glass (4-6 oz)
7. Large wine glass (7-8 oz)

WINE

16. 750 ml bottle
(normal wine bottle; 25 oz)
17. Half bottle (375 ml)
18. 32 oz. (quart) bottle
19. Liter bottle (34 oz)
20. 1 gallon bottle or 4 liter box
21. Wine cooler (12 oz)

BEER

8. Short, small can or bottle (8 oz)
9. Regular size bottle or can (12 oz)
10. Tall size bottle or can (16 oz)
11. Tall beer or malt liquor (24 oz)
12. Quart (32 oz)
13. Large size malt liquor (40 oz)
14. Six pack (of 12 oz beers)
15. Case (of 12 oz beers)

COCKTAILS AND LIQUOR

22. 1 shot, or regular cocktail
23. 2 shots, or double
24. 3 shots, or triple
25. Mini (2 oz or 50 ml)
26. Half pint (8 oz or 200 ml)
27. Pint (16 oz or 375 ml)
28. Fifth (25 oz or 750 ml)
29. 1 liter bottle
30. 1.75 liter bottle

RESPONSE CARD 10

- 1. Less than once a month**
- 2. At least once a month, but less than once a week**
- 3. Once a week**
- 4. 2 – 3 times a week**
- 5. 4 – 6 times a week**
- 6. Once a day**
- 7. More than once a day**

RESPONSE CARD 11

- 1. Doctor's office or clinic**
- 2. Emergency room in a hospital**
- 3. Drug treatment clinic**
- 4. Prison clinic**
- 5. Nursing home**
- 6. Mobile unit / clinic**
- 7. Other place**
- 8. Hospital (not emergency room)**

RESPONSE CARD 12

- 1. Strongly agree**
- 2. Agree**
- 3. Uncertain**
- 4. Disagree**
- 5. Strongly disagree**

RESPONSE CARD 13A

- 1. Limited a lot**
- 2. Limited a little**
- 3. Not at all limited**


RESPONSE CARD 13

- 1. All of the time**
- 2. Most of the time**
- 3. A good bit of the time**
- 4. Some of the time**
- 5. A little of the time**
- 6. None of the time**

RESPONSE CARD 14

- 1. Definitely true**
- 2. Mostly true**
- 3. Not sure**
- 4. Mostly false**
- 5. Definitely false**

RESPONSE CARD 15



**Worst possible
quality of life
(as bad as or
worse than
being dead)**

**Half-way
between worst
and best**

**Best possible
quality of life**

RESPONSE CARD 16

- 1. Rarely or none of the time (less than 1 day)**
- 2. Some or a little of the time (1 – 2 days)**
- 3. Occasionally or moderate amount of time (3 – 4 days)**
- 4. Most or all of the time (5 – 7 days)**

RESPONSE CARD 18

- 1. Within the past week**
- 2. More than a week ago, but within the past month**
- 3. More than 1 month ago, but within the past 6 months**
- 4. More than 6 months ago**